MECHANIC'S NET PRICES

EFFECTIVE JANUARY 1, 1960 (CATALOG 56)

Herbrand Tools

FORM NO.
H-1008

HERBRAND DIVISION, THE BINGHAM-HERBRAND CORP.
FREMONT, OHIO

This schedule supersedes D-59-41 issued November 25, 1958. Prices, discounts and terms are subject to change without notice. All orders will be invoiced at prices in effect at the time of shipment.

THE HERBRAND GUARANTEE. The name Herbrand or "Van Chrome" on any tool constitutes your unqualified guarantee against defects in workmanship or materials. This is positive assurance that they will do the job for which they are built, without spreading or breaking. Free replacements will be made on any tools that may prove defective. ***This guarantee is void if inspection shows that the tools have been abused, ground, heated, subjected to hammering or unreasonable leverage.***

SUBSTITUTIONS—We reserve the right to make substitutions in material, finish and design without prior notice regardless of catalog descriptions.

DISCONTINUED ITEMS—Production has been suspended on the catalog numbers which are not listed in this Numerical Price Schedule.

NOTE: THESE PRICES ARE 40% LESS THAN LIST PRICE.

ADJUSTABLE WRENCHES

Part No.	Net Price	Description	Pg. No.
21-4	2.78	4, Capacity ½	16
21-6	2.88	6, Capacity ¾	16
21-8	3.29	8, Capacity 15/16	16
21-10	4.20	10, Capacity 1⅛	16
21-12	6.06	12, Capacity 1 7/16	16
21-15	9.09	15, Capacity 1¾	16

MECHANICS PLIERS

31-6	3.79	6 diagonal cutter	18
31-7	4.20	7 diagonal cutter	18
32-7	3.99	7 diagonal cutter	18
33-5	4.20	5½ side cut grip	18
33-7	4.40	7 side cut and grip	18
34-6	2.73	6 slip joint	18
34-8	3.24	8 slip joint	18
34-10	3.89	10 slip joint	18
35-7	3.19	7 angle nose	18
36-6	3.24	6 lg. needle nose	18
36-6B	4.15	6 bent needle nose	18
37-6	4.15	6 long needle, side	18
38-8	3.49	7¾ chain nose	18
39-8	3.54	7¾ duck bill	18
40-10	3.54	10 multi groove	18
41-6	3.79	6 multi groove	18
41-8	3.99	8 multi groove	18
41-10	4.55	10 multi groove	18
42-6	4.50	6 linemans, insul.	18
42-8	5.91	8 linemans, insul.	18
43-8	2.88	8 multigrip	18

MIDGET BOX WRENCHES-45° Offset

70R	6.17	Set 4 Wrenches in roll	34
71	1.32	2⅞, 3/16 x 13/64 op.	12
72	1.37	3⅛, 7/32 x 15/64 op.	12
73	1.37	3⅜, ¼ x 9/32 op.	12
74	1.47	3¾, 5/16 x 11/32 op.	12

MIDGET OPEN END WRENCHES

80	1.05	3, 7°-¼ x ¼-82° op. 15°-60° Heads	11
81	1.09	3, 13/64x15/64 op.	11
82	1.09	3, 15/64 x 13/64 op.	11
83	1.09	3, 7/32 x ¼ op.	11
84	1.09	3, ¼ x 7/32 op.	11
85	1.09	3½, 9/32 x 5/16 op.	11
86	1.09	3½, 5/16 x 9/32 op.	11
87	1.15	4, 11/32 x ⅜ op.	11
88	1.15	4, ⅜ x 11/32 op.	11
89	1.45	4, ½ 7/16 x ½ op.	11
94R	5.58	Set of 4 in roll.	■
96B	13.83	Set of 11 in box.	34
96R	14.79	Set of 11 in roll.	34
97B	7.77	Set of 7 in box.	34
97R	8.73	Set of 7 in roll.	34

SOFT BRONZE HAMMER

126	5.30	12, wgt. 1 lb. 10 oz.	48

PLIERS, MISCELLANEOUS

150	1.99	6, Electrical	■
151S	1.06	6, comb. slip joint	19
154	1.67	4¾, midget	19
160	2.51	5, Ignition Rib Joint	19
165	2.23	4½, midget utility	19
166½	3.89	9½, multigrip, 6 pos.	19
175	2.78	Wire Hose Clamp Plier	19
177	6.32	10½, terminal lifter	19
178	2.28	7½, Battery	19
182	3.54	8½, sm. brake spring	19
183	4.40	14, Large brake sp	19
183A	5.71	14, large brake sp	19
183B	1.52	Spring skt. for 183A	19
185	5.00	10, Lock Ring	19
186	3.89	8¼, Lock Ring	19
188	6.01	11, huck brake	19
189	3.89	10¼, fence plier	■

LUBRICATION TOOLS

193	3.19	8 3/16 Wrench Male	44
194	2.93	9 3/32 Wrench Female	44

PUSH PULL RULES

206W	1.87	6ft., chrome case	24
208W	2.18	8ft., chrome case	24
210W	2.68	10ft., chrome case	24

BATTERY AND BRAKE BOX WRENCHES

250	2.28	6 pt., ⅜ x 7/16	13
255	2.28	Chrysler Brake Wrench	13
260	2.07	Chrysler Brake Tool	13
261	2.28	Brake Spring Tool	13
262	1.37	Emerg. Bk. Adj. Tool	13
276	1.77	9/16 x ⅝ op'gs	12

T-HANDLE SCREW DRIVERS

282	1.31	No. 2 pt. Phillips	20
283	1.47	No. 3 pt. Phillips	20
285	1.31	¼ bit, round-3¾ o.a.l.	20
287	1.47	⅜ bit, round-3¾ o.a.l.	20

HEX BOLSTER SCREW DRIVERS

290B	10.86	Set of 5 in Box	32
290R	12.83	Set of 5 in Roll	32
291	1.67	¼, bolster, o.a.l. 8⅝	20
292	1.77	5/16, bolster, o.a.l. 9⅝	20
293	2.28	⅜, bolster, o.a.l. 11¾	20
294	2.38	⅜, bolster, o.a.l. 13⅝	20
295	2.78	7/16, bolster, o.a.l. 15¾	20

STAR NUT BRAKE TOOLS

301	1.74	Bendix, lgth. 7½	44
302	1.74	Brake Adjusting Tool	44
303	1.67	Chevrolet, lgth., 6¾	44

SLOT SCREW DRIVERS

304E	1.17	5, Spark detecting	21
305E	1.71	8½, Spark detecting	21
310	.96	Bit ⅛, o.a. 4¼	20
311	.99	Bit ⅛, o.a. 5¼	20
311A	1.21	Bit ⅛, o.a. 8⅜	20
312	1.31	Bit 7/32, o.a. 6⅛	20
313	1.31	Bit ¼, o.a. 9⅝	20
314	1.67	Bit ¼, o.a. 12⅝	20
315	1.21	Bit 5/16, o.a. 3⅞	20

INDUSTRIAL WRENCHES (Carbon Steel)

For prices on all Industrial Wrenches pages 52-55, see separate price sheet C-57-5

■ Not Listed in Catalog 56

Part No.	Net Price	Description	Pg. No.
SLOT SCREW DRIVERS (Con't)			
315A	1.67	Bit 5/16, o.a. 7 7/8	20
316	1.71	Bit 5/16, o.a. 10 3/8	20
317	1.77	Bit 5/16, o.a. 14 3/8	20
319	2.22	Bit 7/16, o.a. 11 3/4	20
320	2.52	Bit 7/16, o.a. 16 3/4	20
321	2.52	Bit 1/2, o.a. 10 3/4	20
322	3.29	Bit 9/16, o.a. 18 3/8	20
323	3.59	Bit 9/16, o.a. 22 3/8	20
SCRAPERS			
343	1.37	1 3/8 wide	24
347	1.51	Chisel edge, 1 5/16	24
348	1.97	Forged Chisel Edge	25
349	2.98	Piston ring groove	25
349B	.90	Cutter only	25
349C	.90	Cutter only	25
OFFSET SCREW DRIVERS			
350R	5.77	Set of four in roll	35
351	.96	Bit 5/16, shank 3/16	21
352	1.17	Bit 3/8, shank 1/4	21
353	1.27	Bit 1/2, shank 5/16	21
354	1.50	Bit 5/8, shank 3/8	21
PHILLIPS SCREW DRIVERS			
358	.75	No. 1 pt., o.a. 3	20
359	.80	No. 2 pt., o.a. 3 1/2	20
361	1.00	No. 1 pt., o.a. 6 1/2	20
362	1.06	No. 2 pt., o.a. 8 3/4	20
363	1.31	No. 3 pt., o.a. 11	20
364	1.61	No. 4 pt., o.a. 14 1/2	20
358P	1.21	No. 1 pt., o.a. 3 1/4	21
359P	1.27	No. 2 pt., o.a. 3 3/4	21
361P	1.47	No. 1 pt., o.a. 6 1/4	21
362P	1.61	No. 2 pt., o.a. 7 3/4	21
363P	1.97	No. 3 pt., o.a. 10 3/8	21
364P	2.52	No. 4 pt., o.a. 12 1/8	21
SCREW STARTERS			
372	1.57	2 1/2 Alum. handle	21
373N	1.87	2 1/2 Nylon	21
375	1.77	5 Alum. handle	21
376N	2.18	6 Nylon handle	21
379	2.01	9 Alum. handle	21
379N	2.38	9 Nylon handle	21
MAGNETIC PICK UPS			
380-9	1.61	9 Adjust. Head	24
380-27	2.88	Adj. hd., telescopes	24
381-18	2.55	18 Fixed head, flex	24
CLUTCH HEAD SCREW DRIVERS			
393	1.67	Type A, o.a. 7 3/4	20
395	2.18	Type A, o.a. 10 3/8	20
397	2.78	Type A, o.a. 10 7/8	20
CHISELS			
400	.73	5 cold, edge 5/16	22
401	.90	5 1/2, cold, edge 3/8	22
402	1.10	5 3/4, cold, edge 1/2	22
403	1.39	6 1/2, cold, edge 5/8	22
404	1.57	7, cold, edge 3/4	22
405	2.07	8, cold, edge 7/8	22
406	2.62	8, cold, edge 1	22
410	.99	5, Cape, edge 7/32	22
411	1.06	5 3/4, Cape, edge 5/16	22
412	1.29	6 Cape, edge 3/8	22
420	.88	5, Gouge, edge 7/32	22
421	.99	5 3/4 Gouge, edge 1/4	22
430	.88	5, Diamond, edge 1/8	22
431	.99	6, Diamond, edge 3/16	22
PUNCHES			
440	.94	4 Pin, 1/8 pt.	22
441	.94	4 Pin, 5/32 pt.	22
442	.88	4 Pin, 3/32 pt.	22
443	.95	6 Pin, 5/32 pt.	22
444	.99	6 1/2 Pin, 3/16 pt.	22
445	1.00	7 Pin, 7/32 pt.	22
446	1.10	7 Pin, 1/4 pt.	22
447	1.25	7 1/2 Pin, 5/16 pt.	22
450	.76	4 1/2 Taper, 1/16 pt.	22
451	.88	5 Taper, 3/16 pt.	22
452	1.17	6 Taper, 1/4 pt.	22
453	1.50	7 Taper, 5/16 pt.	20

Part No.	Net Price	Description	Pg. No.
PUNCHES (Con't)			
460	1.27	8 Drift, 3/16 pt.	22
461	1.41	8 1/2 Drift, 7/32 pt.	22
462	1.71	11 Drift, 1/4 pt.	22
470	.73	4 Center, 1/8 pt.	22
471	.86	4 1/2 Center, 7/32 pt.	22
ALIGNING & PINCH BARS			
480	2.48	Length 12	22
481	3.29	Length 16	22
482	5.31	Length 20	22
485	3.79	Length 15	22
MUFFLER AND TAIL PIPE CUTTERS			
490B	4.55	Set of 2 in box	44
491	2.28	9 Inter. tube cutter	44
492	2.28	9 Exter. tube cutter	44
497	1.91	10 Straight cutting	44
NYLON TIPPED HAMMERS			
*660	4.15	10 oz., length 10 1/2	49
*661	1.98	Tips (2) for No. 660	49
*662	6.35	20 oz., length 13	49
*663	2.39	(2) tips for Nos. 662, 676	49
*664	8.30	32 oz., length 13	49
*665	3.15	(2) tips for No. 664	49
*676	8.25	Bounceless type	49
TUBE CUTTERS AND FLARERS			
750	5.26	6 1/2 Flarer, 3/16 to 5/8	25
761	4.30	Cutter, 1/8 to 1 o.d.	25
761C	.88	Wheel only-761	25
THREAD RESTORERS			
803B	3.54	Set—6 Fine Taps NF-SAE	24
804B	3.54	Set—6 Coarse Taps NC-USS	24
805B	3.64	For Tube Fittings	24
806B	4.90	Set-8 dies for U.S.S.	24
808B	4.65	Set-8 dies for S.A.E.	24
809	3.29	File for threads	24
811	3.29	File for threads	24
PULLERS			
820	6.01	Stud puller	40
821	5.31	Taper wedge puller	40
825	21.87	Wheel puller	37
825A	6.01	Wh. puller Fords	37
825C	24.60	Wheel Puller	37
825H	2.98	Striking handle-825	37
830	9.95	6 Reversible jaw	39
831	20.56	8 Reversible jaw	39
832	6.62	4 Adj. straight jaw	39
833	22.73	10 Adj. straight jaw	39
835	6.62	Steering wheel	40
840	14.84	6" (3) Jaw Puller	39
841	27.22	8" (3) Jaw Puller	39
842	27.22	10" (3) Jaw Puller	39
858	13.34	2 way med. puller	38
861	5.71	Timing gear	40
862	6.42	Harmonic balancer	40
866	23.08	Slide hammer puller	38
866B	3.29	2-way cross arm	38
866C	3.29	Slotted cross arm	38
866E	1.17	Ball tip expander	38
866G	2.83	Single jaw	38
866H	4.30	Sliding hammer	38
866J	2.28	Reversible jaws	38
866N	2.53	Adjusting cone	38
866P	.66	Pins, push-pull	38
866S	4.55	24 T-handle shaft	38
866Y	4.25	3-way triple yoke	38
867	17.12	14 Sl. hammer	38
867J	1.97	Pilot bearing jaw	38
867S	2.98	T-handle shaft, 14 1/2	38
868	16.11	3-way med. puller	38
868S	2.98	Hex hd. forcing screw	38
868T	.66	Centering tip 868S	38
869	6.22	Cross arm puller	38
872	6.62	Bearing separator	37
873	16.62	4 1/4" Bear. Separator	37
OPEN END WRENCHES			
1021S	1.06	3 1/2, op. 1/4 & 5/16	11
1027	2.18	7 1/2, op. 19/32 & 11/16	11
1027B	2.18	7 1/2, op. 5/8 & 11/16	11
1029	2.63	8 1/4, op. 11/16 & 25/32	11
1033A	3.49	10 1/4, op. 7/8 & 15/16	11

Part No.	Net Price	Description	Pg. No.
OPEN END WRENCHES (Cont'd)			
1033C	3.99	11, op. 15/16 & 1	11
1034A	4.20	11, op. 15/16 & 1 1/16	11
1037	5.51	12 1/2, op. 1 1/16 & 1 1/4	11
TIRE AND RIM TOOLS, WIRE BRUSHES			
1056X	6.57	22—4 way	47
1057X	14.09	27—truck 4 way	47
1126	2.28	18 Tire iron pass	47
1126T	2.38	23 Tire iron, truck	47
1127	2.28	18 Tire iron, pass	47
1127T	2.38	23 Tire iron, truck	47
1128	4.40	Adj. tire spreader	47
1130	4.80	Tire hammer	47
1132	.96	Tire and rim brush	47
1133B	3.29	Rubber tire mallet	48
1134	2.68	Tire Iron, "No pinch"	47
1137	6.82	Wire brush, circular	47
1138	2.38	Wire carbon brush	47
1139	2.98	H.D. Carbon Brush	47
1140	3.29	22 removal tool	47
1144	4.80	2-hd. hammer	48
TRUCK RIM WRENCHES			
1150A	4.20	Truck wrench	48
1150B	4.20	Truck wrench	48
1150C	2.68	Leverage bar, 1 1/16	48
1150D	4.20	Truck wrench	48
1150E	2.68	Leverage bar, 1 3/16	48
1150F	4.20	Truck wrench	48
1150K	4.20	Truck wrench	48
1150T	11.06	Set of 3 pieces	48
1152F	6.16	Set, Ford 2 pieces	48
1152H	1.97	20, Leverage Bar	48
COMB. WRENCHES-STANDARD SERIES			
1212	1.59	4 1/2 lgth., 3/8 op.	14
1214	1.85	5 lgth., 7/16 op.	14
1216	1.96	5 1/2 lgth., 1/2 op.	14
1218	2.10	6 lgth., 9/16 op.	14
1220	2.29	6 1/2 lgth., 5/8 op.	14
1222	2.45	7 lgth., 11/16 op.	14
1224	2.72	7 1/2 lgth., 3/4 op.	14
"HEX-FIT" LONG STYLE COMBINATION WRENCHES			
12-POINT BOX END			
1212L	1.92	6 5/8" lgth., 3/8" op.	15
1214L	2.07	7 1/4" lgth., 7/16" op.	15
1216L	2.28	7 25/32" lgth., 1/2" op.	15
1218L	2.52	8 11/32" lgth., 9/16" op.	15
1220L	2.72	9" lgth., 5/8" op.	15
1222L	2.98	9 23/32" lgth., 11/16" op.	15
1224L	3.29	10 15/32" lgth., 3/4" op.	15
1226L	3.79	11 5/16" lgth., 13/16" op.	15
1228L	3.99	12 3/16" lgth., 7/8" op.	15
1230L	4.65	13 1/16" lgth., 15/16" op.	15
1232L	5.51	13 15/16" lgth., 1" op.	15
1234L	6.27	14 27/32" lgth., 1 1/16" op.	15
1236L	7.28	15 23/32" lgth., 1 1/8" op.	15
1240L	8.84	16 1/2" lgth., 1 1/4" op.	15
6-POINT BOX END			
1212LH	1.92	6 5/8" lgth., 3/8" op.	15
1214LH	2.07	7 1/4" lgth., 7/16" op.	15
1216LH	2.28	7 25/32" lgth., 1/2" op.	15
1218LH	2.52	8 11/32" lgth., 9/16" op.	15
1220LH	2.72	9" lgth., 5/8" op.	15
1222LH	2.98	9 23/32" lgth., 11/16" op.	15
1224LH	3.29	10 15/32" lgth., 3/4" op.	15
1290LB	11.49	Set of 5 in Box (6 pt.)	
1290LR	12.93	Set of 5 in Roll (6 pt.)	
1291LB	17.76	Set of 7 in Box (6 pt.)	15
1291LR	18.92	Set of 7 in Roll (6 pt.)	15
1292LB	17.76	Set of 7 in Box (12 pt.)	15
1292LR	18.92	Set of 7 in Roll (12 pt.)	15
1293LB	17.76	Set of 7 in Box (4 6-pt.; 3 12-pt.)	
1293LR	18.92	Set of 7 in Roll (4 6-pt.; 3 12-pt.)	
1294LB	33.76	Set of 10 in Box (12 pt.)	
1294LR	36.08	Set of 10 in Roll (12 pt.)	
1296LB	58.05	Set of 14 in Box (12 pt.)	
1296LR	61.02	Set of 14 in Roll (12 pt.)	
"HEX-FIT" SHORT STYLE COMBINATION WRENCHES			
12-POINT BOX END			
1212S	1.87	4 11/16 lgth., 3/8 op.	15
1214S	2.02	5 3/16 lgth., 7/16 op.	15

Part No.	Net Price	Description	Pg. No.
"HEX-FIT" SHORT STYLE COMBINATION WRENCHES			
1216S	2.13	5 11/16 lgth., 1/2 op.	15
1218S	2.28	6 7/32 lgth., 9/16 op.	15
1220S	2.43	6 27/32 lgth., 5/8 op.	15
1222S	2.58	7 15/32 lgth., 11/16 op.	15
1224S	2.98	8 1/8 lgth., 3/4 op.	15
6-POINT BOX END			
1212SH	1.87	4 11/16 lgth., 3/8 op.	15
1214SH	2.02	5 3/16 lgth., 7/16 op.	15
1216SH	2.13	5 11/16 lgth., 1/2 op.	15
1218SH	2.28	6 7/32 lgth., 9/16 op.	15
1220SH	2.43	6 27/32 lgth., 5/8 op.	15
1222SH	2.58	7 15/32 lgth., 11/16 op.	15
1224SH	2.98	8 1/8 lgth., 3/4 op.	15
1283SB	16.26	Set of 7 in Box (6 pt.)	
1283SR	17.44	Set of 7 in Roll (6 pt.)	
1284SB	16.26	Set of 7 in Box (12 pt.)	
1284SR	17.44	Set of 7 in Roll (12 pt.)	
1285SB	16.26	Set of 7 in Box (4 6-pt.; 3 12-pt.)	
1285SR	17.44	Set of 7 in Roll (4 6-pt.; 3 12-pt.)	
METRIC COMB. WRENCHES			
1209M	1.72	4 1/2 Lgth., 9MM op.	17
1210M	1.88	5 Lgth., 10MM op.	17
1211M	1.95	5 Lgth., 11MM op.	17
1212M	2.07	5 1/2 Lgth., 12MM op.	17
1214M	2.18	6 Lgth., 14MM op.	17
1217M	2.62	7 Lgth., 17MM op.	17
1219M	2.83	7 1/2 Lgth. 19MM op.	17
1221M	3.29	8 3/4 Lgth., 21MM op.	17
1222M	3.62	10 1/2 Lgth., 22MM op.	17
1290MB	15.23	Set of 7 in Box	17
1290MR	16.19	Set of 7 in Roll	17
COMB. WRENCHES-NEW SERIES			
1210N	1.60	4 1/2 lgth., 5/16 op.	14
1211N	1.61	4 1/2 lgth., 11/32 op.	14
1212N	1.67	5 lgth., 3/8 op.	14
1214N	1.97	5 3/8 lgth., 7/16 op.	14
1216N	2.08	6 lgth., 1/2 op.	14
1218N	2.19	6 3/4 lgth., 9/16 op.	14
1219N	2.19	6 3/4 lgth., 19/32 op.	14
1220N	2.41	7 3/8 lgth., 5/8 op.	14
1222N	2.70	8 1/2 lgth., 11/16 op.	14
1224N	2.75	9 1/2 lgth., 3/4 op.	14
1225N	2.97	9 1/2 lgth., 25/32 op.	14
1226N	3.56	11 lgth., 13/16 op.	14
1228N	3.83	11 lgth., 7/8 op.	14
1230N	4.28	13 lgth., 15/16 op.	14
1232N	4.73	13 lgth., 1 op.	14
1234N	5.70	15 lgth., 1 1/16 op.	14
1236N	6.65	15 lgth., 1 1/8 op.	14
1240N	7.75	18 lgth., 1 1/4 op.	14
1242N	8.84	18 lgth., 1 5/16 op.	14
1246N	11.76	21 lgth., 1 7/16 op.	14
1285NB	22.60	Set of 10 in box	35
1285NR	23.40	Set of 10 in roll	35
1290B	13.79	Set of 7 in box	35
1290R	14.19	Set of 7 in roll	35
1295B	46.26	Set of 14 in box	35
1295R	47.86	Set of 14 in roll	35
FLARE NUT WRENCHES-6 POINT			
1320B	8.45	Set of 3 in carton	35
1320R	9.46	Set of 3 in roll	35
1323	2.42	6 pt. op. 3/8 & 7/16	14
1325	2.72	6 pt. op. 1/2 & 9/16	14
1327	3.33	6 pt. op. 5/8 & 11/16	14
OPEN END WRENCHES			
1721	1.25	4 1/2, op. 5/16 & 3/8	11
1723	1.35	5, op. 3/8 & 7/16	11
1725	1.45	5 3/4, op. 7/16 & 1/2	11
1725B	1.57	6 1/4, op. 1/2 & 9/16	11
1727	1.81	6 3/4, op. 9/16 & 5/8	11
1729	2.22	7 3/4, op. 5/8 & 3/4	11
1731	2.72	9, op. 3/4 & 13/16	11
1731A	2.72	9, op. 3/4 & 7/8	11
1733	3.94	10 1/4, op. 7/8 & 1	11
1735	4.64	12 1/2, op. 1 & 1 1/8	11
1737	5.51	12 1/2, op. 1 1/8 & 1 1/4	11
1750B	8.86	Set of 5 in box	34
1750R	9.99	Set of 5 in roll	34
1760B	24.32	Set of 10 in box	34
1760R	28.01	Set of 10 in roll	34
OBSTRUCTO OPEN END WRENCHES			
1821	1.67	5 1/2, op. 3/8	11
1823	1.67	5 1/2, op. 7/16	11
1825	1.87	6 1/2, op. 1/2	11
1827	1.92	6 1/2, op. 9/16	11
1829	2.28	7 1/2, op. 5/8	11
1831	2.63	7 1/2, op. 3/4	11
1836B	12.02	Set of 6 in box	34
1836R	13.33	Set of 6 in roll	34
SPECIAL PURPOSE TOOLS			
1940	3.23	7 3/4, op. 5/8 & 3/4	13
1950	3.73	Chevrolet spec. sig. op.	13
2100	4.65	D-R Pt. Setting Tool	43
2125	9.35	Comb. Carb. & Dist. Tool	45
2125K	9.35	2125 on Display Card	45
2126	5.26	Handle only	45
2127	1.45	Carb. Socket Bit	45
2128	1.57	Holly Carb. Sock. Bit	45
2129	1.28	Dist. Sock. Hex Bit	45
2146	2.98	7, op. 9/16 & 5/8	13
2153	3.19	Cad. spk. plg. wrench	13
2200	1.95	Shock Absorber Tool	13
2356V	4.70	15 Link separator	42
2365	5.00	24 Vaive lifter	42
2375	2.98	Dist. wr. 1/2 op. 3/8 dr.	13
2376	2.98	Dist. wr. 9/16 op. 3/8 dr.	13
2377	2.98	Dist wr 1/2 op. 3/8 dr.	13
RATCHETING BOX WRENCHES			
3823	3.33	5 1/2, op. 3/8 x 7/16	12
3825	4.24	6 3/4, op. 1/2 x 9/16	12
3827	4.60	8, op. 5/8 x 11/16	12
3828	4.60	8, op. 5/8 x 3/4	12
3829	5.25	9 1/4, op. 3/4 x 7/8	12
LONG ULTRA BOX WRENCHES-45° 12 pt.			
3901B	16.90	Set of 6 in box	35
3901R	19.75	Set of 6 in roll	35
3923	2.18	6 1/2, op. 3/8 & 7/16	13
3925	2.43	7 9/16, op. 1/2 & 9/16	13
3927	2.53	8 5/8, op. 9/16 & 5/8	13
3929	2.73	9 11/16, op. 5/8 & 11/16	13
3931	3.02	10 7/8, op. 3/4 & 13/16	13
3933	4.03	12 1/4, op. 7/8 & 15/16	13
3934	4.03	12 1/4, op. 3/4 & 15/16	13
EXTRA LONG BOX WRENCHES-30° 12 pt.			
3935	6.27	16, op. 1 & 1 1/16	13
3937	7.23	18, op. 1 1/8 & 1 1/4	13
3938	9.55	20, op. 1 5/16 & 1 3/8	13
3939	10.51	20, op. 1 7/16 & 1 1/2	13
SHORT ULTRA BOX WRENCHES-45° 6 pt.			
4620B	5.81	Set of 3 in box	34
4620R	6.70	Set of 3 in roll	34
4623	1.77	4 3/4, op. 3/8 & 7/16	12
4625	1.87	5 1/2, op. 1/2 & 9/16	12
4627	2.18	6, op. 5/8 & 11/16	12
SHORT ULTRA BOX WRENCHES-45° 12 pt.			
4920B	5.81	Set of 3 in box	34
4920R	6.70	Set of 3 in roll	34
4923	1.77	4 3/4, op. 3/8 & 7/16	12
4925	1.87	5 1/2, op. 1/2 & 9/16	12
4927	2.18	6, op. 5/8 & 11/16	12
5733	5.31	13 3/4, op. 7/8 & 1 (15°)	12
LONG ULTRA BOX WRENCHES-10° 12 pt.			
5920B	12.47	Set of 5 in carton	34
5920R	13.90	Set of 5 in roll	34
5923	2.07	6 1/2, op. 3/8 & 7/16	12
5925	2.18	7 1/2, op. 1/2 & 9/16	12
5927	2.28	8 5/8, op. 9/16 & 5/8	12
5929	2.83	9 3/4, op. 11/16 & 3/4	12
5931	3.14	11, op. 13/16 & 7/8	12
MULTIFLEX BOX WRENCHES			
6821B	13.99	Set of 3 in carton	35
6821R	15.23	Set of 3 in roll	35
6823	4.04	7 3/8, op. 3/8 & 7/16	14
6825	4.45	8 3/4, op. 1/2 & 9/16	14
6827	5.51	9, op. 5/8 & 3/4	14
SHORT ULTRA BOX WRENCHES-15° 12 pt.			
6923	1.67	4 1/4, op. 3/8 & 7/16	13
6925	1.81	5, op. 1/2 & 9/16	13
6927	2.11	5 3/4, op. 5/8 & 11/16	13
SOCKET DRIVE ADAPTORS			
A-388	1.10	1/4 F. to 3/8 M. drive	7
A-389	1.27	3/8 F. to 1/4 M. drive	7
A-390	1.51	1/2 F. to 3/8 M. drive	7
A-391	1.57	3/8 F. to 1/2 M. drive	7
A-393	2.53	3/4 F. to 1/2 M. drive	7
A-394	1.99	1/2 F. to 3/4 M. drive	7
CAR OWNERS SERVICE KIT			
AO-700R	16.28	Set of 7	33
AUTOMATIC TRANSMISSION TOOLS			
AT-3	14.05	Oil Pressure Gauge	Sup.
AT-5	18.98	Bending Tool	26
AT-6	1.56	Adaptor	26
AT-7	2.71	Bending Tool	26
AT-8	3.39	Truarc No. 2 Plier	Sup.
AT-20	1.16	Adjusting Gauge	26
AT-21	10.74	Throttle Gauge	26
AT-22	14.90	Throttle Gauge	26
AT-23	4.55	Linkage Gauge	26
AT-24	3.40	Linkage Gauge	26
AT-25	.82	Adjusting Gauge	26
AT-50	11.47	Adjusting Tool	26
AT-51	10.30	Adjusting Tool	26
AT-52	24.70	Adjusting Tool	26
AT-53	11.33	Adjusting Tool	26
AT-54	7.20	Adjusting Tool	26
AT-55	11.47	Adjusting Tool	26
AT-56	19.52	Adjusting Tool	26
AT-60	5.99	Int. Snap Ring Pliers	19
AT-61	5.99	Ext. Snap Ring Pliers	19
AT-70	1.45	Linkage Pins	26
AT-71	.46	Throttle Pin	26
AT-76	14.40	Clutch Spring Comp.	Sup.
AT-77	15.25	Clutch Tester	Sup.
AT-78	37.37	Dial Indicator	Sup.
AT-79	1.73	Dial Ind. Ext. Rod	Sup.
AT-80	1.99	(Ford) Dial Ind. Rod	Sup.
AT-81	12.38	Rear Servo Sp. Comp.	Sup.
AT-82	5.71	Snap Ring Remover	Sup.
AT-83	6.85	Oil Del. Sleeve Comp.	Sup.
AT-84	12.38	Small Seal Puller	Sup.
AT-90	39.88	Seal Driver Set	Sup.
AT-91	20.09	Bushing Set	Sup.
AT-92	25.85	Bushing Set	Sup.
AT-93	26.42	Bushing Driver Set	Sup.
AT-94	19.67	Bushing Driver Set	Sup.
DB-21	159.57	Board with Tools	Sup.
DB-23	147.89	Board with Tools	Sup.
TBF-1	65.93	Board with Ford Tools	Sup.
TBG-2	64.43	Board with GM Tools	Sup.
ALLEN SET SCREW WRENCHES			
AW-2	.11	ea. Hex size 1/16	16
AW-2 1/2	.11	ea. Hex size 5/64	16
AW-3	.11	ea. Hex size 3/32	16
AW-4	.11	ea. Hex size 1/8	16
AW-5	.13	ea. Hex size 5/32	16
AW-6	.14	ea. Hex Size 3/16	16
AW-7	.18	ea. Hex size 7/32	16
AW-8	.21	ea. Hex size 1/4	16
AW-10	.34	ea. Hex size 5/16	16
AW-12	.53	ea. Hex size 3/8	16
AW-80R	1.67	Set of 8, 1 ea. pouch	32
AW-100R	2.27	Set of 10, in roll	32
BATTERY SERVICE TOOL SET			
B-3R	11.48	Set of 3 in roll	34
BODY AND FENDER TOOLS			
BF-1	4.80	14 oz. Hammer	50
BF-2	5.81	16 oz. Hammer	50
BF-4	5.30	13 oz. Hammer	50
BF-5	5.30	12 oz. Hammer	50
BF-8	5.45	1 lb. 6 oz. Hammer	50
BF-12	5.80	16 oz. Hammer	50
BF-27	4.80	7 oz. Hammer	50
BF-31	7.48	Spoon	49
BF-33	9.95	Spoon	49
BF-34	11.06	Spoon	49
BF-51	7.73	Dolly block	50
BF-52	7.73	Dolly block	50
BF-54	5.80	Dolly block	50
BF-55	6.57	Dolly block	50
BF-56	5.80	Dolly block	50

Part No.	Net Price	Description	Pg. No.
BODY AND FENDER TOOLS (Cont'd)			
BF-57	8.49	Dolly block	50
BF-80	7.65	Plier	19
BF-91	2.68	Door handle tool	50
BF-92	1.61	Ford and GM door handle tool	
BF-129	152.01	Set of 29-B-901 box	29
*BF-514	5.30	File	51
*BF-550	31.80	Set of 7	51
*BF-614	4.70	Holder	51
*BF-714	9.80	Holder and file	51
BALL PEIN HAMMERS			
BP-2	2.68	wgt. 2 oz., lgth. 9½	49
BP-4	2.68	wgt. 4 oz., lgth. 9¾	49
BP-8	2.88	wgt. 8 oz., lgth. 11½	49
BP-12	3.14	wgt. 12 oz., lgth. 13	49
BP-16	3.39	wgt. 16 oz., lgth. 14	49
BP-20	3.69	wgt. 20 oz., lgth. 14½	49
BP-24	3.89	wgt. 24 oz., lgth. 14¾	49
BP-32	4.28	wgt. 32 oz., lgth. 15½	49
BP-40	4.70	wgt. 40 oz., lgth. 16½	49
BRAKE SERVICE SET			
BR-8R	28.29	Set of 8 in roll	34
PUNCH AND CHISEL SETS			
C-5R	10.05	Set of 5 in roll	32
C-10R	4.98	Set of 5 in roll	32
C-15R	18.04	Set of 15 in roll	32
CB-62	72.97	Dispenser 62 tools	■
CARBURETOR SPECIAL TOOLS— ¼ DRIVE			
C-528	1.51	Jet Socket	45
C-529	1.41	Jet Socket	45
C-530	1.41	Prong Socket	45
C-531	1.28	Prong Socket	45
C-536	.89	Float level gauge	45
C-538	.89	Float level gauge	45
C-539	.89	Float level gauge	45
C-540	1.12	Ball inserter socket	45
CARBURETOR SPECIAL TOOLS—¼ DRIVE			
C-542	1.50	Ball inserter tool	45
C-545	1.91	Main vent tube tool	45
C-546	.55	Float level adj. wr.	45
C-547	.55	Ball remover tool	45
C-548	.50	Economizer valve	45
C-550	4.95	Carburetor Adj. Tool	45
CA-24½	38.12	Set of 27 in metal box	30
CA-36½	56.58	Set of 38 in metal box	30
CYLINDER DEGLAZING HONES			
CH-60C	5.26	Stone set	43
CH-60F	5.26	Stone set	43
CH-60A	3.34	Flexible drive	43
CH-60B	7.48	Stone holder	43
CH-61	9.95	Deglazing tool	43
CH-61C	4.25	Stone set	43
CH-61F	4.25	Stone set	43
CH-62	11.45	Deglazing tool	43
CH-62C	4.75	Stone set	43
CH-62F	4.75	Stone set	43
CH-63	8.33	Hone, complete	43
CH-63R	1.81	Stone set	43
CH-64	10.45	Deglazing tool	43
DRIL-O-DRIVER			
DO-1	7.98	Dril-O-Driver	■
DO-2	1.90	Slotted sc. bit	■
DO-3	1.00	¼ male drive bit	■
DO-10	10.55	Set of 3	■
DRILLS—SEE SPECIAL PRICE LIST			
SOCKETS—EXTRA DEEP-½" DR.			
DS-6½	16.17	Set 7 in met. box	31
DS-11½	15.47	Set 7 in met. box	31
DS-12½	23.07	Set 9 in met. box	31
DS-16	1.87	lgth. 3, op. ½, 12 pt.	7
DS-18	1.92	lgth. 3, op. 9/16, 12 pt	7
DS-20	1.91	lgth. 3, op. ⅝, 12 pt.	7
DS-22	1.91	lgth. 3, op. 11/16, 12 pt.	7
DS-24	1.91	lgth. 3, op. ¾, 12 pt.	7
DS-26	1.97	lgth. 3, op. 13/16, 12 pt.	7
DS-26S	2.18	lgth. 3, op. 13/16, 6 pt.	7
DS-28	2.13	lgth. 3¼, op. ⅞, 12 pt.	7

Part No.	Net Price	Description	Pg. No.
SOCKETS—EXTRA DEEP-½" DR. (Cont'd)			
DS-30	2.32	lgth. 3¼, op. 15/16, 12pt.	7
DS-32	2.43	lgth. 3¼, op. 1, 12 pt.	7
DS-36	2.61	lgth. 3 5/16, op. 1⅛, 12 pt.	7
DSH-6	.86	T-handle bar	7
POINT FILES—CHROME TUNGSTEN			
F-5	.27	Point File	25
F-5-12		Disp. card (12 of F-5)	
TORQUE WRENCHES			
*S-50	13.95	50 ft. lbs., ½ dr.	16
*S-55	14.75	100 ft. lbs., ½ dr.	16
*S-56	18.65	150 ft. lbs., ½ dr.	16
*FJ-25	31.00	25 ft. lbs. ⅜ dr.	16
*FJ-100	20.00	100 in. lbs., ⅜ dr.	16
*FJS-25	41.00	25 ft. lbs., ⅜ dr.	16
*FS-50	32.50	50 ft. lbs., ½ dr.	16
*FSS-50	42.50	50 ft. lbs., ½ dr.	16
*FS-100	34.70	100 ft. lbs., ½ dr.	16
*FSS-100	44.75	100 ft. lbs., ½ dr.	16
*FS-150	39.50	150 ft. lbs., ½ dr.	16
*FSS-150	53.00	150 ft. lbs., ½ dr.	16
*FS-200	60.00	200 ft. lbs., ½ dr.	16
*FSS-200	68.75	200 ft. lbs., ½ dr.	16
*FH-300	76.40	300 ft. lbs., ¾ dr.	16
*FHS-300	91.70	300 ft. lbs., ¾ dr.	16

NOTE: Inch Pound Torque Wrenches are available in Flat Beam only. Specify Inch Pound Capacity and Size Drive desired when ordering.

FEELER GAUGES—PRICES			
G-5A	2.18	Ford-Stude. offset ga.	41
G-7	1.50	Sp. pg. wire, 8 ga.	41
G-8A	3.49	Ford gauge	41
G-9	2.13	Extra long	41
G-10	1.51	Standard	41
G-11A	1.57	Ignition gauge	41
G-12A	2.22	Chevrolet gauge	41
G-13A	1.52	Delco-Remy	41
G-14	1.52	Brake adjust	41
G-20A	2.88	Combination gauge	41
G-25	2.98	Universal master	41
G-26	2.33	Carburetor	41
G-27	2.15	Univer. overhead valve	41
BLADES ONLY			
GO015-GO02		.18 each 3½ long	41
GO03-GO20		.18 each 3½ long	41
GO21-GO40		.18 each 3½ long	41
GLO015-GL002		.50 each 12 long	41
GL003-GL020		.35 each 12 long	41
GL021-GL040		.42 each 12 long	41
GT-10	4.80	Sp. plug gap tool	41
HANDLES AND ATTACHMENTS-¾" Dr.			
H-11	20.15	Reversible ratchet, 21	9
H-15	11.06	Flex handle, 21	9
H-21	7.33	Sliding T-handle, 18	9
H-25	3.63	Extension, 4	9
H-29	4.60	Extension, 8	9
H-31	6.52	Extension, 16	9
SOCKETS-HEAVY DUTY, ¾" DR. 12 pt.			
H-128	2.41	Op. ⅞, lgth. 1⅞	9
H-130	2.41	Op. 15/16, lgth. 1 15/16	9
H-132	2.48	Op. 1, lgth. 2 1/16	9
H-134	2.48	Op. 1 1/16, lgth. 2 1/16	9
H-136	2.52	Op. 1⅛, lgth. 2 1/16	9
H-138A	2.58	Op. 1 3/16, lgth. 2 1/16	9
H-140	2.88	Op. 1¼, lgth. 2 5/16	9
H-142	3.24	Op. 1 5/16, lgth. 2 5/16	9
H-144	3.43	Op. 1⅜, lgth. 2 5/16	9
H-146	3.69	Op. 1 7/16, lgth. 2½	9
H-148	3.89	Op. 1½, lgth. 2 9/16	9
H-152	4.70	Op. 1⅝, lgth. 2¾	9
H-156	5.16	Op. 1¾, lgth. 2¾	9
H-158	5.31	Op. 1 13/16, lgth. 2⅞	9
H-160	5.81	Op. 1⅞, lgth. 2⅞	9
H-164	6.47	Op. 2, lgth. 3	9
H-166	7.53	Op. 2 1/16, lgth. 3	9
H-168	7.78	Op. 2⅛, lgth. 3⅛	9
H-170	8.29	Op. 2 3/16, lgth. 3⅛	9
H-172	9.85	Op. 2¼, lgth 3⅛	9

Part No.	Net Price	Description	Pg. No.
SOCKET SETS—¾" DRIVE			
HA-80	51.85	Set of 14	32
HA-80½	57.31	Set of 14	32
HA-82	109.02	Set of 21	32
HA-82½	115.18	Set of 21	32
HACK SAW BLADES			
HF-1018	.23	ea. 10" lg. (18 tth. per in.)	25
HF-1024	.23	ea. 10" lg. (24 tth. per in.)	25
HF-1218	.27	ea. 12" lg. (18 tth. per in.)	25
HF-1224	.27	ea. 12" lg. (24 tth. per in.)	25
HS-1018	.84	ea. 10" lg. (18 tth. per in.)	25
HS-1024	.84	ea. 10" lg. (24 tth. per in.)	25
HS-1218	1.06	ea, 12" lg. (18 tth. per in.)	25
HS-1224	1.06	ea. 12" lg. (24 tth. per in.)	25
ADJUSTABLE HACK SAW FRAMES			
HSF-5	1.67	Standard frame	25
HSF-10	2.98	All steel	25
POWER SOCKET EXTENSIONS, ¾ DR			
IH-4	5.40	lgth. 3½	10B
IH-10	7.60	lgth. 10	10B
BUDD WHEEL SOCKET, ¾ DR, 4 pt.			
IH-426	4.15	Skt. op. 13/16, lgth. 2¼	10A
IMPACT SOCKETS—¾ DR, 6 pt.			
IH-624	2.21	Skt. op. ¾, lgth. 2¼	10A
IH-626	2.21	Skt. op. 13/16, lgth. 2¼	10A
IH-628	2.21	Skt. op. ⅞, lgth. 2¼	10A
IH-630	2.21	Skt. op. 15/16, lgth. 2⅜	10A
IH-632	2.21	Skt. op. 1, lgth. 2⅜	10A
IH-634	2.31	Skt. op. 1 1/16, lgth. 2½	10A
IH-636	2.57	Skt. op. 1⅛, lgth. 2½	10A
IH-638	2.68	Skt. op. 1 3/16, lgth. 2½	10A
IH-640	2.78	Skt. op. 1¼, lgth. 2⅝	10A
IH-642	3.09	Skt. op. 1 5/16, lgth. 2⅝	10A
IH-644	3.24	Skt. op. 1⅜, lgth. 2¾	10A
IH-646	3.52	Skt. op. 1 7/16, lgth. 2¾	10A
IH-648	3.62	Skt. op. 1½, lgth. 2¾	10A
DEEP IMPACT SOCKETS, ¾ DR, 6 pt.			
IHD-624	3.39	Skt. op. ¾, lgth. 3½	10A
IHD-626	3.49	Skt. op. 13/16, lgth. 3½	10A
IHD-628	3.49	Skt. op. ⅞, lgth. 3½	10A
IHD-630	3.49	Skt. op. 15/16, lgth. 3½	10A
IHD-632	3.49	Skt. op. 1, lgth. 3½	10A
IHD-634	3.69	Skt. op. 1 1/16, lgth. 3½	10A
IHD-636	3.69	Skt. op. 1⅛, lgth. 3½	10A
IHD-638	4.45	Skt. op. 1 3/16, lgth. 3½	10A
IHD-640	4.45	Skt. op. 1¼, lgth. 3¾	10A
IHD-648	6.25	Skt. op. 1½, lgth. 3¾	10A
POWER SOCKET THRU PINS			
IHP-1044	.12	Dia. 3/16, lgth. 1⅜	10B
IHP-1060	.12	Dia. 3/16, lgth. 1⅞	10B
POWER SOCKET "O" RINGS			
IHO-1148	.39	I.D. 1½, Sect. Dia. 3/16	10B
IHO-1164	.39	I.D. 2, Sect. Dia. 3/16	10B
HANDLES AND ATTACHMENTS-⅜" DR.			
J-5	5.90	Rev'ible ratchet, 7	3
J-7	6.25	Rev. Rat. ⅜ d. 7"	3
J-8	5.91	Ratch-A-Daptor	3
J-9A	11.06	Spdratch. T-handle	3
J-13	3.99	Flex, handle, 8⅝	3
J-17	2.98	Speeder handle, 17	3
J-20	4.15	Speeder handle, 34	3
J-21	2.53	Sliding T-handle, 8	3
J-23	1.20	Extension 1⅜	3
J-25	1.57	Extension, 3	3
J-27	1.97	Extension, 5	3
J-29	2.42	Extension, 12	3
J-30	3.29	Extension, 20	3
J-31	3.79	24" Extension—⅜" Drive	3
J-33	.60	T-handle bar, 6½	3
J-35	2.98	Universal joint	3
J-37	1.87	Slot screw driver bit	3
J-38	1.87	Slot screw driver bit	3
J-39	1.06	Drag link socket	3
J-42	1.11	Diff. Filler Plug Wrench	3
J-43	1.77	Two-in-one Socket	3
J-45	2.01	Phillip No. 2	3
J-46	2.07	Phillip No. 3	3

Part No.	Net Price	Description	Pg. No.
HANDLES AND ATTACH.-3/8" DR. (Con't)			
J-47	2.18	Phillip No. 4	3
J-48	2.18	Reed & Prince	3
J-61	1.47	Allen hex bit in skt	3
J-62	1.47	Allen hex bit in skt	3
J-63	1.47	Allen hex bit in skt	3
J-64	1.52	Allen hex bit in skt	3
J-65	1.52	Allen hex bit in skt	3
SOCKETS			
J-112	.88	Op. 3/8, 12 pt.	4
J-114	.90	Op. 7/16, 12 pt.	4
J-116	.90	Op. 1/2, 12 pt.	4
J-118	.90	Op. 9/16, 12 pt.	4
J-120	.94	Op. 5/8, 12 pt.	4
J-122	1.00	Op. 11/16, 12 pt.	4
J-124	1.00	Op. 3/4, 12 pt.	4
J-212	1.00	Op. 3/8, 8 pt.	4
J-214	1.00	Op. 7/16, 8 pt.	4
J-216	1.00	Op 1/2, 8 pt.	4
J-318	3.02	Op. 9/16, 12 pt. flex	4
J-320	3.02	Op 5/8, 12 pt. flex	4
J-322	3.39	Op. 11/16, 12 pt. flex	4
J-324	3.39	Op. 3/4, 12 pt. flex	4
J-414	1.10	Op. 7/16, 12 pt. deep	4
J-416	1.10	Op. 1/2, 12 pt., deep	4
J-418	1.14	Op. 9/16, 12 pt. deep	4
J-420	1.27	Op. 5/8, 12 pt., deep	4
J-422	1.31	Op. 11/16, 12 pt. deep	4
J-424	1.47	Op. 3/4, 12 pt. deep	4
J-509	.98	Op. 9/32, 4 pt.	4
J-510	.98	Op. 5/16, 4 pt.	4
J-512	.98	Op. 3/8, 4 pt.	4
J-608	.90	Op. 1/4, 6 pt.	4
J-610	.90	Op. 5/16, 6 pt.	4
J-612	.90	Op. 3/8, 6 pt.	4
J-614	.92	Op. 7/16, 6 pt.	4
J-616	.92	Op. 1/2, 6 pt.	4
J-618	.92	Op. 9/16, 6 pt.	4
J-620	.96	Op. 5/8, 6 pt.	4
J-622	1.03	Op. 11/16, 6 pt.	4
J-624	1.03	Op. 3/4, 6 pt.	4
J-812	1.10	Op. 3/8, 6 pt. deep	4
J-814	1.10	Op. 7/16, 6 pt. deep	4
J-816	1.10	Op. 1/2, 6 pt. deep	4
J-818	1.14	Op. 9/16, 6 pt. deep	4
J-820	1.27	Op. 5/8, 6 pt. deep	4
J-822	1.34	Op. 11/16, 6 pt. deep	4
J-824	1.51	Op. 3/4, 6 pt. deep	4
J-826	1.67	Op. 13/16, 6 pt. deep	4
J-912	3.02	Op. 3/8, 6 pt. flex	4
J-914	3.02	Op. 7/16, 6 pt. flex	4
J-916	3.02	Op. 1/2, 6 pt. flex	4
SOCKET SETS—3/8" DRIVE			
JA-51	9.46	Set of 9 in tray	30
JA-52	22.98	Set of 7 (flex) in tray	30
JA-53	8.47	Set of 6 in tray	30
JA-54	11.51	Set of 8 in tray	30
JA-57M	6.49	(7 Metric Skt in Box)	17
JA-60½	12.86	Set of 9 in box	30
JA-62½	31.50	Set of 14 in box	30
JA-65½	48.81	Set of 28 in box	30
HOLD-IT SOCKETS—NUT RETAINING			
JC-624	1.82	Op.3/8,6pt.w/hold-it sp.	45
JH-622	1.82	Op.11/16,6pt.w/hold-it sp.	45
METRIC SOCKETS—3/8" DRIVE			
JM-609	.90	9MM op.	17
JM-610	.90	10MM op.	17
JM-611	.90	11MM op.	17
JM-612	.90	12MM op.	17
JM-614	.90	14MM op.	17
JM-617	1.00	17MM op.	17
JM-619	1.00	19MM op.	17
JM-620	23.05	Set of 16 in Box 3/8" Drive	
HANDLES & ATTACHMENTS 1" DRIVE			
L-11	31.97	Rev'ible Ratchet 22	10
L-15	36.31	Flex handle, 24½	10
L-21	13.64	Sliding T handle, 23	10
L-29	8.74	Extension, 8	10
L-31	11.37	Extension, 17	10
SOCKETS, EXTRA HEAVY DUTY, 1" DRIVE			
L-46	4.80	Op. 1 7/16	10
L-48	5.66	Op. 1½	10
L-52	6.01	Op. 1⅝	10
L-54	6.52	Op. 1 11/16	10
L-56	6.77	Op 1¾	10
L-58	7.23	Op. 1 13/16	10
L-60	8.44	Op. 1⅞	10
L-64	9.35	Op. 2	10
L-68	10.46	Op. 2⅛	10
L-70	12.07	Op. 2 3/16	10
L-72	12.78	Op. 2¼	10
L-74	14.09	Op. 2 5/16	10
L-76	14.30	Op. 2⅜	10
L-78	15.66	Op. 2 7/16	10
L-80	19.14	Op. 2½	10
L-82	21.72	Op. 2 9/16	10
L-84	23.13	Op. 2⅝	10
L-88	24.70	Op. 2¾	10
L-94	30.96	Op. 2 15/16	10
L-96	34.09	Op. 3	10
L-100	37.88	Op. 3⅛	10
HANDLES AND ATTACHMENTS—1/4" DRIVE			
M-5	4.55	Rev'ible ratchet, 5¼	2
M-8	4.70	Ratch-A-Daptor	2
M-13	2.98	Flex handle, 6	2
M-18	1.31	Short Spinner Handle	3
M-19	1.41	Quick spin handle	2
M-20	1.87	Spinner Handle	2
M-21	1.61	Sliding T-Handle, 4½	2
M-22	1.41	Extension, 5½	2
M-23	1.17	Extension, 2	2
M-33	.54	T-Handle bar, 4½	2
M-35	2.88	Universal Joint	2
M-41	1.77	No. 1 Phillips Bit	3
M-42	1.77	No. 2 Phillips Bit	3
M-43	1.77	No. 3 Phillips Bit	3
M-45	1.77	Phillips No. 2	2
M-53	1.57	Slot screw driver bit	2
M-54	1.57	Slot screw driver bit	2
M-55	1.67	Slot screw driver bit	2
M-63	1.17	1/8 Slot Screw Driver Bit	3
M-64	1.17	1/4 Slot Screw Driver Bit	3
M-66	1.17	3/8 Slot Screw Driver Bit	3
M-71	1.02	Chev. Dist. Socket	2
M-100	7.16	Ratchet-Driver Set	3
M-100S	51.52	Display Set (30 Pieces)	■
SOCKETS—1/4" DRIVE			
M-510	1.21	Op. 5/16, 6 pt. deep	2
M-512	1.21	Op. 3/8, 6 pt. deep	2
M-513	1.21	Op. 13/32, 6 pt. deep	2
M-514	1.27	Op. 7/16, 6 pt. deep	2
M-515	1.27	Op. 15/32, 6 pt. deep	2
M-516	1.27	Op. 1/2, 6 pt. deep	2
M-518	1.27	Op. 9/16, 6 pt. deep	2
M-606	.73	Op. 3/16, 6 pt.	2
M-607	.73	Op. 7/32, 6 pt.	2
M-608	.73	Op. 1/4, 6 pt.	2
M-609	.73	Op. 9/32, 6 pt.	2
M-610	.73	Op. 5/16, 6 pt.	2
M-611	.73	Op. 11/32, 6 pt.	2
M-612	.73	Op. 3/8, 6 pt.	2
M-614	.73	Op. 7/16, 6 pt.	2
M-808	.80	Op. 1/4, 8 pt.	2
M-810	.80	Op. 5/16, 8 pt.	2
M-812	.80	Op. 3/8, 8 pt.	2
SOCKET SETS—1/4" DRIVE			
MA-52½	10.19	Set of 10 in box	30
MA-53½	20.40	Set of 16 in box	30
MA-56½	41.47	Set of 30 in box	30
ROLLWAYS AND CHESTS			
*MB-5W	77.25	Rollway B	36
*MC-3	36.50	Jr. chest B	36
*MC-5S	57.95	Deluxe chest T	36
MULTISCOPE SOUND DETECTOR			
MS-1	7.02	Multiscope, complete	25
OS-4	4.25	3 Piece Pocket set	
POWER SOCKET ADAPTERS			
PA-1216	.99	3/8 female to ½ male	10B
PA-1612	1.55	½ female to 3/8 male	10B
PA-2016	1.85	5/8 female to ½ male	10B
PA-2416	2.50	¾ female to ½ male	10B
IMPACT SOCKETS—5/8" DRIVE			
PE-616	1.38	Skt. op. ½, lgth. 1½	8
PE-618	1.47	Skt. op. 9/16, lgth. 1½	8
PE-620	1.47	Skt. op. 5/8, lgth. 1½	8
PE-622	1.47	Skt. op. 11/16, lgth. 1½	8
PE-624	1.47	Skt. op. ¾, lgth. 1½	8
PE-626	1.47	Skt. op. 13/16, lgth. 1½	8
PE-628	1.61	Skt. op. ⅞, lgth. 1⅝	8
PE-630	1.61	Skt. op 15/16, lgth. 1¾	8
PE-632	1.67	Skt. op. 1, lgth. 1¾	8
PE-634	1.97	Skt. op. 1 1/16, lgth. 2	8
PE-636	2.18	Skt. op. 1⅛, lgth. 2	8
PE-638	2.33	Skt. op. 1 3/16, lgth. 2	8
PE-640	2.38	Skt. op. 1¼, lgth. 2	8
PE-642	2.78	Skt. op. 1 5/16, lgth. 2⅛	8
PE-644	3.08	Skt. op. 1⅜, lgth. 2⅛	8
DEEP IMPACT SOCKETS—5/8" DRIVE, 6 pt.			
PED-618	2.07	Skt. op. 9/16, lgth. 3¼	8
PED-620	2.38	Skt. op. 5/8, lgth. 3¼	8
PED-622	2.48	Skt. op. 11/16, lgth. 3¼	8
PED-624	2.48	Skt. op. ¾, lgth. 3¼	8
PED-626	2.58	Skt op. 13/16, lgth. 3¼	8
PED-628	2.68	Skt. op. ⅞, lgth. 3½	8
PED-630	2.72	Skt. op. 15/16, lgth. 3½	8
PED-632	2.88	Skt. op. 1, lgth. 3½	8
PED-634	3.12	Skt. op. 1 1/16, lgth. 3½	8
PED-636	3.23	Skt. op. 1⅛, lgth. 3½	8
PED-638	3.23	Skt. op. 1 3/16, lgth. 3½	8
PED-640	3.39	Skt. op. 1¼, lgth. 3½	8
PED-642	3.39	Skt. op. 1 5/16, lgth. 3½	8
PED-644	3.39	Skt. op. 1⅜, lgth. 3½	8
POWER SOCKET EXTENSIONS, 3/8 DR			
PJ-3	1.45	lgth. 3	10B
PJ-6	1.67	lgth. 6	10B
POWER SOCKETS, 3/8 DR, 6 pt.			
PJ-612	.65	Skt. op. 3/8, lgth. ⅞	10
PJ-614	.65	Skt. op. 7/16, lgth. ⅞	10
PJ-616	.65	Skt. op. ½, lgth. ⅞	10
PJ-618	.65	Skt. op. 9/16, lgth. ⅞	10
PJ-620	.65	Skt. op. 5/8, lgth. ⅞	10
POWER SOCKET EXTENSIONS, 1/2 DR			
PS-5	2.15	lgth. 5	10B
PS-10	2.54	lgth. 10	10B
POWER SOCKETS, 1/2 DR, 6 pt.			
PS-612	.87	Skt. op. 3/8, lgth. 1½	10
PS-614	.87	Skt. op. 7/16, lgth. 1½	10
PS-616	.87	Skt. op. ½, lgth. 1½	10
PS-618	.87	Skt. op. 9/16, lgth. 1½	10
PS-620	.87	Skt. op. 5/8, lgth. 1½	10
PS-622	.93	Skt. op. 11/16, lgth. 1½	10
PS-624	.93	Skt. op. ¾, lgth. 1½	10
PS-626	1.14	Skt. op. 13/16, lgth. 1½	10
PS-628	1.19	Skt. op. ⅞, lgth. 1½	10
PS-630	1.40	Skt. op. 15/16, lgth. 1¾	10
PS-632	1.49	Skt. op. 1, lgth. 1¾	10
PS-634	1.67	Skt. op. 1 1/16, lgth. 2	10
PS-636	1.67	Skt. op. 1⅛, lgth. 2	10
PS-638	1.87	Skt. op. 1 3/16, lgth 2	10
PS-640	2.05	Skt. op. 1¼, lgth. 2	10
PSB-6	5.40	Set of 6	
PSB-9	9.75	Set of 9	
DEEP POWER SOCKETS, 1/2 DR, 6 pt.			
PSD-612	1.69	Skt. op. 3/8, lgth. 3¼	10
PSD-614	1.69	Skt. op. 7/16, lgth. 3¼	10
PSD-616	1.69	Skt. op. ½, lgth. 3¼	10
PSD-618	1.69	Skt. op. 9/16, lgth. 3¼	10
PSD-620	1.69	Skt. op. 5/8, lgth. 3¼	10
PSD-622	1.69	Skt. op. 11/16, lgth. 3¼	10
PSD-624	1.73	Skt. op. ¾, lgth. 3¼	10
PSD-626	1.84	Skt. op. 13/16, lgth. 3¼	10
PSD-628	1.99	Skt. op. ⅞, lgth. 3½	10
PSD-630	2.25	Skt. op. 15/16, lgth. 3½	10
PSD-632	2.30	Skt. op. 1, lgth. 3½	10

PIPE WRENCHES

Part No.	Net Price	Description	Pg. No.
*PW-6	2.95	Capacity ¾, lgth. 6	16
*PW-8	3.45	Capacity 1, lgth. 8	16
*PW-10	4.45	Capacity 1½, lgth. 10	16
*PW-12	5.20	Capacity 2, lgth. 12	16
*PW-14	5.95	Capacity 2, lgth. 14	16
*PW-18	8.50	Capacity 2½, lgth. 18	16
*PW-24	13.45	Capacity 3, lgth. 24	16
*PW-36	28.35	Capacity 4½, lgth. 36	16
*PW-48	42.50	Capacity 6, lgth. 48	16
*PWE-6	2.95	Offset type, lgth. 6	16
*PWE-8	3.45	Offset type, lgth. 8	16
*PWE-10	4.45	Offset type, lgth. 10	16
*PWE-12	5.20	Offset type, lgth 12	16
*PWE-14	5.95	Offset type, lgth. 14	16
*PWE-18	8.50	Offset type, lgth. 18	16
*PWE-24	13.45	Offset type, lgth. 24	16
*PWE-36	28.30	Offset type, lgth. 36	16

RING COMPRESSORS AND INSERTERS

RC-15	1.47	Piston Ring, 2½ to 5	44
RC-25	1.61	Comp., cap. 1½ to 3	44
RC-50	2.98	Comp., cap. 2⅛ to 5	44
RCT-50	3.73	H.D. Compressor	44
RCT-150	8.64	H.D. Compressor	44

HANDLES AND ATTACHMENTS—½" DRIVE

S-5	8.34	Rev'ible ratchet, 10	5
S-6	8.94	Rev'ible ratchet, 15	5
S-7	8.75	Rev. Rat. ½ d. 10" l.	5
S-8	7.43	Ratch-A-Daptor	5
S-9	9.75	Rev. Rat. ½ d. 15" l.	5
S-13	6.77	Flex handle, 12	6
S-15	7.28	Flex handle, 18	6
S-17	4.95	Speeder handle, 17	6
S-21	3.53	Sliding T-handle, 11	6
S-25	1.87	Extension 2½	6
S-27	2.13	Extension, 5	6
S-28	2.88	Extension, 10	6
S-30	6.46	Extension, 32	6
S-33	.83	T-handle bar, 11	6
S-35	3.74	Universal joint	6
S-37	1.61	Drag Link skt. 47/64 bit	6
S-39	1.61	Drag Link skt. 15/16 bit	6
S-40	2.28	Drag Link skt. 1 3/16 bit	6
S-42	1.12	Diff. Filler Plug Wr.	6

CAMBER WRENCH—½" DRIVE

S-76C	2.78	Chrysler	42
S-80C	2.98	Pontiac	42

SOCKETS—½" DRIVE

S-112	.99	Op. 3/8, 12 pt.	7
S-114	1.01	Op. 7/16, 12 pt.	7
S-116	1.02	Op. ½, 12 pt.	7
S-118	1.02	Op. 9/16, 12 pt.	7
S-118V	1.33	Op. 9/16, 6 pt.	7
S-119	1.02	Op. 19/32, 12 pt.	7
S-120	1.02	Op. 5/8, 12 pt.	7
S-121	1.10	Op. 21/32, 12 pt.	7
S-122	1.10	Op. 11/16, 12 pt.	7
S-124	1.21	Op. ¾, 12 pt.	7
S-125	1.31	Op. 25/32 12 pt.	7
S-126	1.31	Op. 13/16, 12 pt.	7
S-128	1.31	Op. ⅞, 12 pt.	7
S-130	1.43	Op. 15/16, 12 pt.	7
S-132	1.43	Op. 1, 12 pt.	7
S-134	1.64	Op. 1 1/16, 12 pt.	7
S-136	1.89	Op. 1⅛, 12 pt.	7
S-140	2.15	Op. 1¼, 12 pt.	7
S-212	1.21	Op. 3/8, 8 pt.	7
S-214	1.21	Op. 7/16, 8 pt.	7
S-216	1.21	Op. ½, 8 pt.	7

SOCKETS—½" DRIVE (Con't)

S-218	1.21	Op. 9/16, 8 pt.	7
S-220	1.21	Op. 5/8, 8 pt.	7
S-222	1.43	Op. 11/16, 8 pt.	7
S-224	1.67	Op. ¾, 8 pt.	7
S-226	1.87	Op. 13/16, 8 pt.	7
S-228	1.99	Op. ⅞, 8 pt.	7
S-232	2.28	Op. 1, 8 pt.	7
S-234	2.38	Op. 1 1/16, 8 pt.	7
S-316	3.63	Op. ½, 12 pt., flex	7
S-318	3.63	Op. 9/16, 12 pt., flex	7
S-320	3.63	Op. 5/8, 12 pt., flex	7
S-322	4.20	Op. 11/16, 12 pt., flex	7
S-324	4.44	Op. ¾, 12 pt., flex	7
S-326	4.64	Op. 13/16, 12 pt., flex	7
S-612	1.02	Op. ⅜, 6 pt.	7
S-614	1.02	Op. 7/16, 6 pt.	7
S-614V	1.51	Op. 7/16, 6 pt.	7
S-616	1.02	Op. ½, 6 pt.	7
S-618	1.02	Op. 9/16, 6 pt.	7
S-620	1.02	Op. 5/8, 6 pt.	7
S-622	1.17	Op. 11/16, 6 pt.	7
S-624	1.23	Op. ¾, 6 pt.	7

SOCKET SETS—½" DRIVE

SA-50	20.15	Set of 14	31
SA-51	8.60	Set of 7	31
SA-52	25.25	Set of 6	31
SA-55	19.27	Set of 11	31
SB-71	19.35	Set of 10	31
SB-72	27.82	Set of 15	31
SB-73	53.06	Set of 20	31
SB-74	115.04	Set of 43	31

SCREW DRIVER SETS

SD-5B	6.23	Set of 5 in carton	32
SD-5R	7.54	Set of 5 in roll	32
SD-7B	11.20	Set of 7 in carton	32
SD-7R	13.17	Set of 7 in roll	32

SPARK PLUG SOCKETS with Rubber Inserts

SPJ-26	1.97	⅜ Dr., 2½ lg., ¾ hex	4
SPS-26	1.97	½ Dr., 2½ lg., ¾ hex	7
SPJ-1426	6.95	⅜ dr. 3¼" lg.-¾ Hex.	4

METRIC SOCKETS—½" DRIVE

SM-111	.99	11MM op.	17
SM-112	.99	12MM op.	17
SM-113	.99	13MM op.	17
SM-114	1.00	14MM op.	17
SM-115	1.00	15MM op.	17
SM-116	1.00	16MM op.	17
SM-117	1.10	17MM op.	17
SM-118	1.18	18MM op.	17
SM-119	1.18	19MM op.	17
SM-120	1.23	20MM op.	17
SM-121	1.23	21MM op.	17
SM-122	1.31	22MM op.	17
SM-123	1.44	23MM op.	17
SM-124	1.44	24MM op.	17
SM-125	1.47	25MM op.	17
SM-126	1.55	26MM op.	17
SM-127	1.81	27MM op.	17
SM-128	1.81	28MM op.	17
SM-129	1.81	29MM op.	17
SM-130	2.01	30MM op.	17
SM-132	2.11	32MM op.	17
SM-133	28.80	Set of 22 in Box—½" Drive	

LUB-O-MATIC SETS

SS-40	29.74	Set of 12	46
SS-41	27.26	Set of 12	46
SS-60	37.50	Set of 13	46

MASTER TAPPET WRENCHES

T-21	2.01	Op. 7/16 & ½, lgth. 9½	11
T-22	2.11	Op. ½ & 9/16, lgth. 9½	11
T-23	2.18	Op. ⅝ & 11/16, lgth. 9½	11
T-24	2.42	Op. ¾ & ⅞, lgth. 9½	11
T-40B	8.57	Set of 4 in box	35
T-40R	9.88	Set of 4 in roll	35

TAPPET ADJUSTING SCREW DRIVER

T-100	2.48	Spring loaded	6 42

FARM SERVICE SETS

TR-26A	63.45	Set of 26, in box B-806	29
TR-93A	155.36	Set of 93, in box B-902	29

TIN SNIPS—DUCKBILL PATTERN

TS-7	2.88	Length 7	24
TS-10	3.79	Length 10	24
TS-12	4.70	Length 12	24

GENERAL MECHANICS SET

VC-57A	105.20	Set of 57, in box	28
VC-85A	191.37	Set of 85, in chest	28
VC-120A	239.38	Set of 120	27

Rollway Cabinet must be ordered separately

VALVE SERVICE TOOLS

VL-525	9.04	Hyd. Lifter	42
VL-530	2.93	Split Lock Replacer	42
VL-540	3.79	Sc. Type Lifter	42
VL-550	11.87	Standard	42
VL-551	1.62	Straight Jaws	42
VL-552	1.62	Large Str. Jaws	42
VL-553	1.62	High Offset Jaws	42
VL-554	3.54	Cadillac Adaptor	42
VL-560	15.10	Heavy Duty	42

SCREW EXTRACTORS

*EX-1	.53	St. Screw extractor	21
*EX-2	.53	St. Screw extractor	21
*EX-3	.60	St. Screw extractor	21
*EX-4	.66	St. Screw extractor	21
*EX-5	.71	St. Screw extractor	21
E-1	1.17	Str. fluted extractor	21
E-2	1.21	Str. fluted extractor	21
E-3	1.37	Str. fluted extractor	21
E-4	1.57	Str. fluted extractor	21
E-5	1.81	Str. fluted extractor	21
X-5R	3.34	Set of 5 st. in roll	32
*XX-5R	6.01	Set of 5 fluted in roll	32
*XX-10	13.03	Set of 21 in case	32

WHIZ BITS

High Speed Flat Bits for Boring Non-Metalic Materials. Specially Forged and Ground. Pilot Permits Angle Boring. Flat File Sharpen easily

WB-600	12.15	Set of 6 in box	1 21

PARTS LIST

ADJUSTABLE WRENCHES

MINIMUM PACKAGE 6 ON ALL PARTS

	Jaw	Pin	Knurl	Spring
21-4				
Part No.	21-4J	21-4P	21-4K	21-4S
Price	.52	.11	.24	.11
21-6				
Part No.	21-6J	21-6P	21-6K	21-6S
Price	.56	.11	.24	.11
21-8				
Part No.	21-8J	21-8P	21-8K	21-8S
Price	.73	.11	.26	.11
21-10				
Part No.	21-10J	21-10P	21-10K	21-10S
Price	.93	.11	.29	.11
21-12				
Part No.	21-12J	21-12P	21-12K	21-12S
Price	1.41	.22	.50	.11
21-15				
Part No.	21-15J	21-15P	21-15K	21-15S
Price	1.77	.24	.56	.13

21-412 53 Piece Repair Parts Kit in Box 13.63

CONTENTS AS LISTED BELOW

Wrench No.		Jaw	Pin	Knurl	Spring
21-4	No. Pcs.	2	2	2	2
21-6	No. Pcs.	3	4	4	4
21-8	No. Pcs.	3	4	4	4
21-10	No. Pcs.	2	2	2	2
21-12	No. Pcs.	1	2	2	2

PLIERS

Part No.	Price		Min. Pkg.
33-5 BN	.31	Bolt and Nut	1
33-7 BN	.31	Bolt and Nut	1
34-6 BN	.31	Bolt and Nut	1
34-8 BN	.31	Bolt and Nut	1
34-10 BN	.31	Bolt and Nut	1
35-7 BN	.31	Bolt and Nut	1
40-10 BN	.43	Bolt and Nut	1
41-6 BN	.43	Bolt and Nut	1
41-8 BN	.43	Bolt and Nut	1
41-10 BN	.43	Bolt and Nut	1
166-½ BN	.43	Bolt and Nut	1
167 BN	.24	Bolt and Nut	1
168 BN	.35	Bolt and Nut	1
175-T	.33	Tips and springs for 175	1
177 BN	.43	Bolt and Nut	1
183 B	1.36	Anchor Socket & Pin for 183A	1

PUSH-PULL RULES

206 WB	.91	Blade for 206W	1
208 WB	1.18	Blade for 208W	1
210 WB	1.53	Blade for 210 W	1

SCREWDRIVER BLADES

Part No.	Price	Blade Lgth.	Stock Size	
282 B	.77	3½	¼	1
283 B	1.09	3½	19/64	1
285 B	1.09	3½	¼	1
287 B	1.19	3½	⅜	1
309 B	.91	⅝	⅛	1
310 B	.57	2	⅛	1
311 B	.65	3	⅛	1
311 AB	.77	6	⅛	1
312 B	.77	3	3/16	1
313 B	.77	6	3/16	1
314 B	.96	9	3/16	1
315 B	.65	1¼	¼	1
315 AB	.98	4	¼	1
316 B	1.09	6	¼	1
317 B	1.17	10	¼	1
318 B	.98	1¼	5/16	1
319 B	1.34	7	5/16	1
320 B	1.77	12	5/16	1
321 B	1.77	6	⅜	1
322 B	1.95	12	⅜	1
323 B	2.33	16	⅜	1
358 PB	.77	1	3/16	1
359 PB	.83	1½	¼	1
361 PB	.92	3	3/16	1
362 PB	1.02	4	¼	1
363 PB	1.34	6	5/16	1
364 PB	1.91	8	⅜	1
393 B	1.09	4	¼	1
395 B	1.45	6	5/16	1
397 B	2.12	6	⅜	1

SCREWDRIVER HANDLES

Part No.	Price	Size	
282 H	.70	1⅛ x 2 11/16	1
283 H	.88	1¼ x 2 15/16	1
285 H	.70	1⅛ x 2 11/16	1
287 H	.88	1¼ x 2 15/16	1

SCREWDRIVER HANDLES (Con't)

Part No.	Price	Size	
309 H	.77	⅝ x 8	1
310 H	.44	⅝ x 2½	1
311 H	.52	⅝ x 2½	1
311 AH	.52	⅝ x 2½	1
312 H	.77	1 x 3¼	1
313 H	.77	1 x 3¾	1
314 H	.91	1 x 3¾	1
315 H	.77	1¼ x 2¼	1
315 AH	.96	1⅛ x 4	1
316 H	1.05	1⅛ x 4⅜	1
317 H	1.05	1⅛ x 4⅜	1
318 H	.96	1¼ x 2¼	1
319 H	1.30	1¼ x 4⅞	1
320 H	1.30	1¼ x 4⅞	1
321 H	1.30	1½ X 4⅞	1
322 H	1.97	1⅜ x 6½	1
323 H	2.07	1⅜ X 6½	1
358 PH	.68	1¼ x 2¼	1
359 PH	.68	1¼ X 2¼	1
361 PH	.77	1 x 3¼	1
362 PH	.91	1 x 3¾	1
363 PH	.94	1⅛ x 4⅜	1
364 PH	2.25	1¼ x 4⅞	1
393 H	1.05	1 x 3¾	1
395 H	1.01	1⅛ x 4⅜	1
397 H	1.24	1¼ x 4⅞	1

SPARK DETECTING BULBS

304EB	.33	Neon Bulb only	1
305EB	.33	Neon Bulb only	1

NYLON HAMMERS

Part No.	Price	Description	
660 H	1.06	Handle for 660	1
661	1.98	1 Pr.Repl.Tips for 660	1
662 H	1.06	Handle for 662	1
663	2.39	1 Pr.Repl.Tips for 662	1
664 H	1.06	Handle for 664	1
665	3.13	1 Pr.Repl.Tips for 664	1

TUBING TOOLS

750-B	3.88	Tube vise, complete	1
750-C	2.07	Flaring Punch (C-clamp,punch & T-handle	

THREAD RESTORERS

For inverted tube fittings, taps & dies (Blue oxide finish)

803¼—803 5/16	.60	each RETHREADER TAPS
803⅜—803 7/16	.67	each (NF-SAE) ORDER 803
803½—803 9/16	.78	each
804¼—804 5/16	.60	each (NC-USS) ORDER 804
804⅜—804 7/16	.67	each
804½—804 9/16	.78	each
805-6D	.77	⅜ x 24 die for 3/16 Fittings
805-7D	.77	7/16 x 24 die for ¼ Fittings
805-8D	.97	½ x 20 die for 5/16 Fittings
805-6T	.77	⅜ x 24 Tap for 3/16 Fittings
805-7T	.85	7/16 x 24 Tap for ¼ Fittings
805-8T	.91	½ X 20 Tap for 5/16 Fittings

For NC(USS) threads use 806 Series (copper finish)
For NF(SAE) threads use 808 Series (Natural oxide finish)

806¼—806 5/16—806⅜	each	.65
806 7/16	each	.77
806½—806 9/16—806⅝—808¾	each	.97
808¼—808 5/16—808⅜	each	.65
808 7/16	each	.77
808½—808 9/16—808⅝—808¾	each	.97

PULLERS

Part No.	Price	Description	
820W	2.19	Eccentric,W/pin groove	1
820-1	2.19	Eccentric, W/ball hole	1
820-3	1.58	Shaft, W/ball & spring	1
821 P	.59	Retaining pin for 821	1
821 W	2.27	Taper wedge only for 821	1
825-1	5.31	Hub, specify hex or rd. recess	1
825-2	5.31	Forcing Screw	1
825-3	5.18	Nut, specify hex or round	1
825-4	.26	Lock ring for 825-3, hex hub only	1
825-5	3.33	Puller Arm	1
825-6	.91	Toe Piece	3
825-7	.10	Retainer ring for 825-6	1
825-12	.26	Pin, use W/round nut & hub	1
830-1	2.65	Yoke	1
830-2	2.40	Jaw	2
830-3	1.98	Forcing Screw	2

PULLERS (Con't)

Part No.	Price	Description	
830-4	.86	Pin Link	2
830-5	1.17	Lock Link	2
831-1	3.30	Yoke	2
831-2	6.80	Jaw	2
831-3	4.02	Forcing Screw	2
831-4	1.24	Pin Link	2
831-5	1.64	Lock Link	2
832-1	1.30	Yoke	1
832-2	1.68	Jaw	2
832-3	.77	Forcing Screw	1
832-4	.58	Pin Link	2
832-5	.91	Lock Link	2
833-1	3.30	Yoke	1
833-2	6.80	Jaw	2
833-3	4.02	Forcing Screw	1
833-4	1.24	Pin Link	2
833-5	1.64	Lock Link	2
835-A	5.31	Yoke & Screw Assy.	1
835-2	.73	2-5/16-18 x 2-½ side sc.	2
835-3	.73	1 pr. 5/16-24 x 2½ side sc.	2
835-4	.73	1 pr. ⅜-16 x 2½ side sc.	2
861-1	1.82	Crossarm	1
861-2	2.59	1 pr. side screws (2pcs.)	2
861-3	1.68	Forcing Screw	1
862-1	1.30	Crossarm	2
862-2	.73	1 pr. ⅜ x 16 x 2½ side sc.	2
862-3L	2.28	10½ Forcing Screw	2
862-3S	1.30	4¾ Forcing Screw	2
862-4	1.55	Driver, for reinstalling	2
872-1	2.78	Upper half (w/stamp)	1
872-2	2.78	Lower Half (no stamp)	1
872-3	2.53	Side Screw and Nut	2

AUTOMATIC TRANSMISSION TOOLS

AT-62-4A	.65	Tips for AT-60 and AT-61 plier, 45°	6
AT-62-4S	.65	Tips for AT-60 and AT-61 plier, straight 45°	6
AT-62-6S	.65	Tips for AT-60 and AT-61 plier, straight 60°	6

HAMMER HANDLES

1130 H	.91	Handle	1
1144 H	1.43	Rubber Head	1
1144 HH	.94	Handle	1
BF-1 H	.83	Handle	1
BF-2 H	.83	Handle	1
BF-4 H	.83	Handle	1
BF-5 H	.83	Handle	1
BF-8 H	.83	Handle	1
BF-12 H	.83	Handle	1
BP-2 H	1.01	Handle	1
BP-4 H	1.01	Handle	1
BP-8 H	1.01	Handle	1
BP-12 H	1.01	Handle	1
BP-16 H	1.01	Handle	1
BP-20 H	1.09	Handle	1
BP-24 H	1.13	Handle	1
BP-32 H	1.13	Handle	1
BP-40 H	1.13	Handle	1

DRIL-O-DRIVER PARTS

DO-1LC	3.88	Lower Clutch	1
DO-1LH	2.59	Lower Housing	1
DO-1N	.77	Retaining Nut	1
DO-1S	.47	Clutch Spring	1
DO-1UC	2.59	Upper Clutch	1
DO-1UH	1.55	Upper Housing	1

GAPPING TOOL PARTS

GT-10-1	1.55	Gauge Plate	1
GT-10-2	.77	Pressure Arm	1
GT-10-6	.20	Wave Washer	1

REPAIR PARTS ¾" DRIVE SERIES H-11 RATCHET HANDLE

H-11 RK	6.64	Repair kit, contains all items as listed below	1
H-11 C	1.05	Rtch. Cover Plate	1
H-11 DL	.86	Rtch. Dog, Left	1
H-11 DR	.86	Rtch. Dog, Right	1
H-11 DS	.12	Rtch. Dog, Springs (2)	1
H-11 G	2.78	Rtch. Gear W/ball & sp.	1
H-11 R	.86	Rtch. Reversing Assy.	1
H-11 S	.20	Rtch. Cover Sc. (4)	1

H-15 FLEX HANDLE

H-15-P	.24	Flex Tip Pin only	1
H-15-T	1.71	Flex Tip W/ball & Spr.	1

REPAIR PARTS ⅜" DRIVE SERIES J-5 RATCHET HANDLE

J-5 RK	3.39	Repair Kit, Contains all Items listed below	1

REPAIR PARTS 3/8" DRIVE SERIES J-5 RATCHET HANDLE (Con't)

Part No.	Price	Description	
J-5 C	.47	Rtch. Cover Plate	1
J-5 D	.97	Rtch. Dogs (pair)	1
J-5 DS	.12	Rtch. Dog Spr. (pair)	1
J-5 G	1.24	Rtch. Gear W/ball & Spr.	1
J-5 R	.47	Rtch. Reversing Assy.	1
J-5 S	.12	Rtch. Cover Screws (pr.)	1
J-8		Return to Fact. for repair	
J-9		Use J-10 parts, shown below	
J-9 A		Use J-5 parts, shown above	

REPAIR PARTS—3/8 DRIVE SERIES J-7 RATCHET HANDLE

J-7RK	1.90	Contains ratchet gear, bearing, cover plate, and snap ring	1

REPAIR PARTS 3/8" DRIVE SERIES J-10 RATCHET HANDLE

J-10RK	2.62	Repair Kit, contains all items as listed below	1
J-10 C	.29	Rtch. Cover Plate	1
J-10 DL	.44	Rtch. Dog, Left	1
J-10 DR	.44	Rtch. Dog, Right	1
J-10 DS	.12	Rtch. Dog Springs (2)	1
J-10 G	.77	Rtch. Gear w/ball & Spr.	1
J-10 R	.44	Rtch. Reversing Assy.	1
J-10 S	.14	Rtch. Cover Screws (4)	1

J-13 FLEX HANDLE

J-13 P	.20	Flex Tip Pin only	1
J-13 T	.65	Flex Tip w/ball & Spr.	1

ALLEN BIT SOCKET PARTS

J-61-1	1.24	Socket only	1
J-62-1	1.24	Socket only	1
J-63-1	1.24	Socket only	1
J-64-1	1.24	Socket only	1
J-65-1	1.24	Socket only	1
J-61-2	.32	Bit only	1
J-62-2	.32	Bit only	1
J-63-2	.32	Bit only	1
J-64-2	.39	Bit only	1
J-65-2	.39	Bit only	1

REPAIR PARTS 1" DRIVE SERIES L-11 RATCHET HANDLE

L-11 RK	8.55	Repair Kit, contains all items as listed below	1
L-11C	1.43	Rtch. cover plate	1
L-11 DL	1.17	Rtch. dog, Left	1
L-11 DR	1.17	Rtch. dog, Right	1
L-11 DS	.15	Rtch. dog springs (2)	1
L-11G	3.55	Rtch. gear w/ball & Spr.	1
L-11 R	1.17	Rtch. reversing Assy.	1
L-11S	.26	Rtch. cover screws (4)	1

REPAIR PARTS 1/4" DRIVE SERIES M-5 RATCHET HANDLE

M-5 RK	2.76	Repair Kit, contains all items as listed below	1
M-5 C	.44	Rtch. cover plate	1
M-5 D	.80	Rtch. dogs (pair)	1
M-5 DS	.12	Rtch. dog spring (pair)	1
M-5 G	.97	Rtch. gear w/ball & Spr.	1
M-5 R	.39	Rtch. reversing Assy.	1
M-5 S	.08	Rtch. cover screws (pr.)	1

REPAIR PARTS 1/4" DRIVE SERIES M-10 RATCHET HANDLE

Part No.	Price	Description	
M-10 RK	2.07	Repair Kit, contains all items as listed below	1
M-10 C	.26	Rtch. cover plate	1
M-10DL	.34	Rtch. Dog, Left	1
M-10 DR	.34	Rtch. Dog. Right	1
M-10 DS	.12	Rtch. Dog, Springs(2)	1
M-10 G	.59	Rtch. Gear w/ball & Spr.	1
M-10 R	.34	Rtch. Reversing Assy.	1
M-10 S	.12	Rtch. Cover Screws (4)	1

M-13 FLEX HANDLE

M-13 P	.14	Flex tip pin only	1
M-13 T	.47	Flex tip w/ball & Spr.	1

MULTISCOPE PARTS

When ordering MS-1 parts, diaphragm diameter MUST be specified

MS-1 B	3.88	Binaural	1
MS-1 D	.39	Diaphragm	1
MS-1 E	.52	Ear piece	1
MS-1 H	1.68	Hdle. w/aluminum bushing	1
MS-1 P	.65	Probe w/2 nuts	1
MS-1 R	.22	Bushing (probe)	1
MS-1 S	2.59	Sound Chamber	1
MS-1T1	1.30	Tube (20")	1
MS-1T2	.65	Tube (5")	1
MS-1 Y	1.30	Yoke	1

REPAIR PARTS 1/2" DRIVE SERIES S-5 RATCHET HANDLE

S-5 RK	3.92	Repair Kit, contains all items as listed below	1
S-5 C	.65	Rtch. Cover Plate	1
S-5D	.97	Rtch. Dogs (pair)	1
S-5 DS	.14	Rtch. Dogs Springs (pr.)	1
S-5 G	1.49	Rtch. Gear w/ball & Spr.	1
S-5 R	.58	Rtch. Reversing Assy.	1
S-5 S	.12	Rtch. Cover Screws(pr.)	1
S-8		Ret. to Fact. for repair	

REPAIR PARTS 1/2" DRIVE SERIES S-7 and S-9 RATCHET HANDLE

S-7RK	2.65	Contains ratchet gear, bearing, cover plate, and snap ring	1
S-9RK	2.65		

REPAIR PARTS 1/2" DRIVE SERIES S-10 and S-11 RATCHET HANDLE

S-10 RK	3.37	Repair Kit, contains all items as listed below	1
S-10 C	.44	Rtch. Cover Plate	1
S-10 DL	.50	Rtch. Dog, left	1
S-10 DR	.50	Rtch. Dog, Right	1
S-10 DS	.12	Rtch. Dog Springs (2)	1
S-10 G	1.19	Rtch. Gear w/ball & Spr.	1
S-10 R	.52	Rtch. Reversing Assy.	1
S-10 S	.14	Rtch. Cover Screws (4)	1

S-13 and S-15 FLEX HANDLE

S-13-15 P	.26	Flex Tip Pin only	1
S-13-15 T	1.05	Flex Tip w/ball & Spr.	1

SPARK PLUG INSERT

SPJ-26-2	.25	Rubber Insert only	1
SPS-26-2	.25	Rubber Insert only	1

TIN SNIPS

TS-7 BN	.26	Bolt and Nut	1
TS-10 BN	.26	Bolt and Nut	1
TS-12 BN	.32	Bolt and Nut	1

METAL BOXES AND TRAYS (Inside Dimensions)

Finest All Steel Construction, Finished in Durable Enamel All Metal Boxes Section 8, Page 2

Part No.	Price		
B-401	1.55	7 x 3 x 1¼	1
B-402	2.07	9⅜ x 6 x 1½	1
B-601	1.74	9 x 2 x 1⅜16	1
B-602	4.06	18⅜16 x 5⅜16 x 1⅜16	1
B-651	1.10	7⅛ x ¾ x ¾	1
B-652	1.10	5¾ x ¾ x 1⅛16	1
B-653	1.10	5 x 1⅛16 x 1½	1
B-654	1.30	6¾ x 1⅛ x 1½	1
B-801	2.15	13⅜16 x 2¾ x 2	1
B-802	3.15	19 x 3 x 2¼	1
B-806	6.05	20 x 5½ x 4	1
B-810	1.95	7½ x 3½ x 1⅜16	1
B-811	2.15	11¼ x 4¼ x 1⅜	1
B-850	1.65	16 x 1¾ x 1⅛	1
B-851	1.10	6⅞16 x 1⅛ x 1⅛16	1
B-852	1.10	5¾ x 1 x 1½	1
B-855	1.65	13⅜16 x 1⅞ x 1⅛	1
B-857	1.10	9⅜ x 1⅜ x 1⅛	1
B-901	9.00	22 x 8½ x 7⅛	1
B-902	14.30	22 x 8½ x 7⅛	1
B-905	3.30	19 x 2 x 2¼	1
B-1201	5.40	22½ x 5⅜ x 3⅛	1
B-1202	6.10	23⅛ x 7⅛ x 4	1

VINYL ROLLS FOR TOOL SETS

Newly Developed Special Coated & Clear Polished Vinyl Plastics. Scuff Proof, Wear, & Oil Resistant

Part No.	Price		Page No.
K-70	.72		33
K-94	.80		33
K-96	1.43		33
K-97	1.05		33
K-290	2.15		33
K-350	.97		33
K-1283S	1.17		33
K-1290	1.56		33
K-1295	7.00		33
K-1320	1.10		33
K-1750	1.23		33
K-1760	4.02		33
K-1836	1.43		33
K-3901	2.01		33
K-4620	.97		33
K-4920	.97		33
K-5920	1.55		33
K-6821	1.35		33
K-1285N	3.70		33
K-AO-700	1.62		33
K-AW-100	1.10		33
K-B-3	1.23		33
K-BR-8	2.73		33
K-C-5	1.43		33
K-C-10	.97		33
K-C-15	2.15		33
K-SD-5	1.43		33
K-SD-7	2.15		33
K-T-40	1.43		33
K-X-5	.72		33

PIPE WRENCHES REPAIR PARTS—STRAIGHT AND OFFSET TYPES

MINIMUM PACKAGE 6 OF AN ITEM

Wrench Size		Hook Jaw	Heel Jaw & Pin	Pin	Coil Spring	Flat Spring	Nut
6"	Part No.	PW6-HJ	PW6-HP	PW6-P	PW6-CS	PW6-FS	PW6-N
	Price	1.11	.67	.10	.10	.39	.32
8"	Part No.	PW8-HJ	PW8-HP	PW8-P	PW8-CS	PW8-FS	PW8-N
	Price	1.11	.75	.10	.10	.39	.32
10"	Part No.	PW10-HJ	PW10-HP	PW10-P	PW10-CS	PW10-FS	PW10-N
	Price	1.79	.91	.12	.10	.39	.39
12"	Part No.	PW12-HJ	PW12-HP	PW12-P	PW12-CS	PW12-FS	PW12-N
	Price	1.95	1.11	.12	.10	.50	.50
14"	Part No.	PW14-HJ	PW14-HP	PW14-P	PW14-CS	PW14-FS	PW14-N
	Price	2.39	1.11	.12	.10	.52	.52
18"	Part No.	PW18-HJ	PW18-HP	PW18-P	PW18-CS	PW18-FS	PW18-N
	Price	3.37	1.28	.12	.12	.68	.59
24"	Part No.	PW24-HJ	PW24-HP	PW24-P	PW24-CS	PW24-FS	PW24-N
	Price	5.52	1.43	.12	.12	.83	.91
36"	Part No.	PW36-HJ	PW36-HP	PW36-P	PW36-CS	PW36-FS	PW36-N
	Price	8.86	1.86	.12	.14	.98	1.79

HYDRAULIC VALVE LIFTER VL-525 PARTS

Part No.	Price		Page No.
VL-525-A	4.98		42
VL-525-B	5.51		42
VL-525-C	.77		42
VL-525-D	1.95		42
VL-525-E	.85		42
VL-525-F	2.92		42
VL-525-G	1.43		42
VL-525-H	1.62		42
VL-525-I	2.27		42
VL-525-J	2.59		42
VL-525-K	.65		42
VL-525-L	.65		42
VL-525-M	.65		42
VL-525-N	.45		42
VL-525-O	.21		42
VL-525-P	.21		42

PRINTED IN U.S.A.